TURDUS PILARIS, MIGRATORIUS.

The Fieldfare of Carolina

WEIGHS two ounces three quarters; about the ſize and ſhape of the *European* Fieldfare. That part of the Bill, next the Head, is yellow. Over and under the Eye are two white ſtreaks. The upper part of the Head is black, with a mixture of Brown. The Wings and upper part of the Body brown: The Tail dark-brown: The Throat black and white: The Breaſt and Belly red: The Legs and Feet brown. In Winter they arrive from the North in *Virginia* and *Carolina*, in numerous Flights, and return in the Spring as ours in *England*. They are canorous, having a loud Cry like our Miſſel-bird, which the following Accident gave me an opportunity of knowing: Having ſome Trees of *Alatermus* full of Berries (which were the firſt that had been introduced in *Virginia*) a ſingle Feildfare ſeemed ſo delighted with the Berries, that he tarried all the Summer feeding on them. In *Maryland*, I am told, they breed and abide the whole year.

Grive brune de Paſſage.

ELLE péſe deux onces trois quarts. Elle eſt à peu-près de la même groſſeur que celle d'Europe, & lui reſſemble fort. La baſe de ſon bec eſt jaune. Elle a une raye blanche au deſſus, & une autre au deſſous des yeux: Le deſſus de ſa tête eſt d'un noir mêlé de brun; ſes ailes & ſon dos bruns; ſa queuë d'un brun obſcur; ſa gorge noire & blanche; ſa poitrine & ſon ventre rouges; ſes jambes & ſes piés bruns. Pendant l'Hyver ils viennent par troupes du Nord à la Virginie *& la* Caroline, *& s'en retournent au Printems, comme celles que nous voions en* Angleterre. *Elles chantent bien: ont la voix forte, à peu-prés comme notre Grive brune, qui ſe nourrit de Guy, ce que je n'ai découvert que par hazard. J'avois quelques Alaternes chargés de Bayes. C'étoient les premiers qui euſſent été plantés dans la* Virginie. *Une Grive prit un tel goût à ces Bayes, qu'elle demeura pendant tout l'Eté pour en manger. On m'a dit qu'elles demeuroient pendant toute l'année à* Maryland, *& y faiſoient leurs Petits.*

Ariſtolochia piſtolochia ſeu Serpentaria Virginiana caule nodoſo.
Pluk. Alma. p 50. Tab. 148.

The Snake-Root of Virginia.

THIS Plant riſes out of the Ground in one, two, and ſometimes three pliant Stalks, which at every little diſtance are crooked, or undulated. The Leaves ſtand alternately, and are about three inches long, in form ſomewhat like the *Smilax aſpera*. The Flowers grow cloſe to the ground on foot-ſtalks an inch long, of a ſingular ſhape, though ſomewhath reſembling thoſe of the Birthworts, of a dark purple colour. A round chanulated *capſula* ſucceeds the Flower, containing many ſmall Seeds, which are ripe in *May*. The uſual price of this excellent Root, both in *Virginia* and *Carolina*, is about ſix pence a Pound when dryed, which is Money hardly earned. Yet the Negro Slaves (who only dig it) employ much of the little time allowed them by their Maſters in ſearch of it; which is the Cauſe of there being ſeldom found any but very ſmall Plants. By planting them in a Garden they increaſed ſo in two years time, that one's hand could not graſp the ſtalks of one Plant. It delights in ſhady Woods, and is uſually found at the Roots of great Trees.

Serpentaire de la Virginie.

CETTE Plante pouſſe une, deux, & quelquefois trois tiges, flexibles & fort tortueuſes. Ses feuilles ſont rangées alternativement ſur ſes tiges, & longues d'environ trois pouces. Elle reſſemble aſſés à celles du Smilax aſpera. *Ses fleurs naiſſent contre terre ſur des pédicules longs d'un pouce. Elles ſont d'une figure ſinguliere, quoi qu'elles approchent de celles de l'*Ariſtoloche. *Leur couleur eſt pourpre foncé. Il leur ſuccéde une* Capſule *ronde, canelée. Elle contient pluſieurs petites ſemences, qui ſont meures au mois de May. Cette excellente racine ne ſe vend à la* Virgine *à la* Caroline *que ſix ſous la livre lors même qu'elle eſt ſéche. C'eſt bien peu; cependant les Negres, qui ſeuls prennent cette peine, employent à chercher ces racines, & à les tirer de la terre, la plus grande partie du peu de tems que leurs Maîtres leur laiſſent; ce qui fait qu'on ne trouve guére que de très-petite Serpentaire. Aprés en avoir tranſplanté dans un Jardin elles augmenterent tellement en deux ans, qu'on ne pouvoit empoigner à la fois toutes les tiges d'une ſeule Plante. La Serpentaire ſe plait dans les lieux ombragés. Elle ſe trouve communement ſur la racine des grands arbres.*

MARK CATESBY *The Natural History of Carolina, Florida and the Bahama Islands* LONDON, 1731–1747 CALIFORNIA ACADEMY OF SCIENCES Octavo